

# STITCHER



**MARINE INDUSTRY 2020 CATALOG**





SHOWA ATLAS SHOWA  
**460/465**


Full PVC coating, extra coating on entire hand over cotton.

A flexible, soft glove that absorbs perspiration, for ultra-comfortable extended wear and with good mechanical resistance.

**APPLICATIONS:**

Maritime sector Fishing  
Petrochemical Logistics  
Transport

REF.	SIZE	LENGTH
460 465	8/M	11.8"
460 465	9/L	11.8"
460 465	10/XL	11.8"



SHOWA  
**477**

Premium combination of cold protection and oil resistant grip ideal for changeable weather conditions


Insulated liner provides a barrier from cold ensuring warmth and comfort all day long

Fully double engineered coating protects against liquids and water penetration

**APPLICATIONS:**

Agriculture Mechanical  
Construction Petrochemical  
Marine Transportation

REF.	SIZE
477	7/M
477	8/L
477	9/XL
477	10/XXL




SHOWA ATLAS SHOWA  
**490/495**

A flexible, soft glove that absorbs perspiration, for ultra-comfortable extended wear and with good mechanical resistance.

**APPLICATIONS:**

Maritime sector Fishing  
Petrochemical Logistics  
Transport

REF.	SIZE	LENGTH
490 495	8/M	11.8"
490 495	9/L	11.8"
490 495	10/XL	11.8"



SHOWA ATLAS  
**720**

Rough finish offering high chemical resistance and excellent resistance to abrasion.

Optimized grip for tasks that require manual exertion and complete control over tools.

**APPLICATIONS:**

Chemical industry Painting  
Alkaline components Petrochemical  
Construction

REF.	SIZE	LENGTH
720	7/S	12"
720	8/M	12"
720	9/L	12"
720	10/XL	12"
720	11/XXL	12"



SHOWA  
**TEMRES® 282**

Insulated liner provides a barrier from cold ensuring warmth and comfort all day long.


TEMRES® Waterproof technology.

High level of handling precision and optimal grip.

**APPLICATIONS:**

Construction Logistics  
Agriculture Transport  
Offshore Fishing

REF.	SIZE	LENGTH
282	8/M	10.8"
282	9/L	10.8"
282	10/XL	10.8"
282	11/XXL	10.8"



SHOWA ATLAS  
**620**

Full PVC coating protects the hand against chemicals while remaining flexible.

PVC seals and protects the hand against chemicals while remaining flexible. Also, impermeable for working in damp or greasy environments

**APPLICATIONS:**

Maritime sector Construction  
Painting Chemical industry

REF.	SIZE	LENGTH
620	7/S	12"
620	8/M	12"
620	9/L	12"
620	10/XL	12"
620	11/XXL	12"





SHOWA ATLAS


# 660

**Full PVC coating with extra rough finish over cotton liner.**

**APPLICATIONS:**

Chemical industry    Painting  
Construction        Public works  
Fishing & agriculture    Petrochemical  
Metallurgy

REF.	SIZE	LENGTH
660	8/M	12"
660	9/L	12"
660	10/XL	12"
660	11/XXL	12"



# BREATHEX FOAM

FOR THE ULTIMATE OUTDOOR  
COMPANION

SHOWA

406



**Full foam Natural Latex coating doubled with Natural Latex on palm coating over nylon outer liner with insulated acrylic/nylon inner liner**

Designed to protect at temperature down to  $-30^{\circ}\text{C}$ , for short or intermittent contact

Water-repellent surface combined with thermal insulating liner keep hands warm and dry enhancing productivity and allowing for longer work periods

**APPLICATIONS:**

Winter general purpose	Assembly
Construction	Agriculture
Logistic & warehousing	Lawn and garden
	DIY
	Refrigeration

**FEATURES**

**LINER:** Seamless knit nylon/insulated acrylic, nylon


**COATING:** Natural Latex

**GRIP:** Rough

**PACKAGING:** 6 pair per polybag.  
6 dozen per case.

REF.	SIZE
406	7/M
406	8/L
406	9/XL
406	10/XXL

Cat. II EN 388:2016 EN 511:2006





SHOWA designed the ultimate outdoor companion SHOWA 306 using BREATHEX FOAM TECHNOLOGY - a revolutionary dual latex coating technology that allows the glove to be both BREATHABLE and LIQUID RESISTANT. The combination of full foam latex doubled with latex coating on the palm is the only alternative solution for workers to be protected with one glove. SHOWA 306 provides premium grip and dexterity with breathability in dry or wet environments, whatever the outdoor conditions are.

**Full foam Natural Latex coating doubled with Natural Latex on palm over nylon/polyester liner**

**306**



SHOWA  
**306**

**BENEFITS: One solution for all purposes, whatever the outdoor conditions are**

- ① Aerated latex foam for breathability and reduced perspiration
- ② Impermeability protects from liquid penetration
- ③ Latex coating offer high level of grip and abrasion resistance
- ④ Soft comfort and premium fit thanks to SHOWA ergonomic design
- ⑤ High level of flexibility through engineered coating
- ⑥ Ergonomic design that replicates the natural curvature of the human hand, reducing hand fatigue

**APPLICATIONS:**

Construction  
Agriculture  
Logistics  
Exterior works  
Warehousing



REF.	SIZE
306	6/S
306	7/M
306	8/L
306	9/XL
306	10/XXL

**FEATURES**

**LINER:** 13 gauge seamless knit nylon/polyester

**COATING:** Foam Natural Latex

**GRIP:** Rough

**PACKAGING:** Individually packaged.  
12 pair per polybag.  
12 dozen per case.



[NEW!]

SHOWA

# 234X

Strong cut resistance performance - ANSI Cut Level A4


Cooling and breathable HPPE properties reduce perspiration and keep hands dry

Designed for use in "knife hand" applications in food processing & food service industries

**APPLICATIONS:**

Automotive	Glass
Construction	Mechanical
Food	

REF.	SIZE
234X	6/S
234X	7/M
234X	8/L
234X	9/XL
234X	10/XXL



SHOWA ATLAS


# 300

A flexible and robust glove with good resistance to tearing  
Latex coating protects the hand in damp environments and against detergents or alcohols

**APPLICATIONS:**

Public sector	Logistics
Automotive	Landscaping
Mechanical	

REF.	SIZE
300	7/S
300	8/M
300	9/L
300	10/XL
300	11/XXL



SHOWA

# 379

Dual nitrile coating technology with extra nitrile foam coating over polyester liner

Enhanced chemical protection  
Nitrile coating provides protection from chemicals, oils, hydrocarbons, grease and hexavalent chromium found in concrete

Foamed nitrile finish provides excellent grip performance and prevents slipping

**APPLICATIONS:**

Chemical	Petrochemical
Construction	Oil & Gas Refining
Maritime sector	

REF.	SIZE
379	8/M
379	9/L
379	10/XL
379	11/XXL



SHOWA ATLAS

# 600

Full PVC coating, extra PVC coating on the entire hand over cotton liner

A flexible glove that absorbs perspiration to increase comfort


Material provides good mechanical resistance

PVC protects the hand against chemicals while remaining flexible

**APPLICATIONS:**

Agriculture
Viticulture
Garden work
Waste collector

REF.	SIZE
600	7/S
600	8/M
600	9/L
600	10/XL





SHOWA

# 377

Superior foam over-dip ensures excellent grip even in oily applications

Liquid resistant to end of coated area

Warmth, protection and comfort

**APPLICATIONS:**

- Construction
- Painting - Decorating
- Ship maintenance
- Automotive
- Oil platforms
- Cementing

REF.	SIZE
377	6/S
377	7/M
377	8/L
377	9/XL
377	10/XXL



SHOWA ATLAS

# 451

A comfortable, flexible glove that is very pleasant to wear in cold weather

Protects the hand in damp & wet environments


Surface provides tactile feel and better grip

Breathable back of hand to reduce perspiration and increase comfort

**APPLICATIONS:**

- Agriculture
- Garden work
- Logistics
- Automotive
- Construction
- Public works
- Warehousing
- Distribution

REF.	SIZE
451	7/S
451	8/M
451	9/L
451	10/XL



SHOWA ATLAS


# 772

Full nitrile coating, with extra nitrile coating on the hand over cotton/polyester liner with extended sleeve and elasticated border

**APPLICATIONS:**

- Chemical handling
- Oil-based applications
- Petrochemical
- Alkaline components

REF.	SIZE	LENGTH
772	7/S	26"
772	8/M	26"
772	9/L	26"
772	10/XL	26"



SHOWA ATLAS

# 481

Fully coated PVC, Acrylic/Cotton knitted fleece liner

Tripled-dipped PVC

Flexible at low temperature

Oil resistant

**APPLICATIONS:**

- Manufacturing
- Commercial Fishing
- Cold Storage
- Construction
- De-icing
- Fuel transport
- Agriculture

REF.	SIZE	LENGTH
481	8/M	11.8"
481	9/L	11.8"
481	10/XL	11.8"



# SHOWA 708

FOOD-SAFE  
AMBIDEXTROUS  
NITRILE GLOVES

## LIKE A FISH TO WATER!

SHOWA 708 HYBRID TAKES YOU  
WHERE SAFETY AND COMFORT MEET

At SHOWA we strive to protect what's important, which is why we've introduced the SHOWA 708: a lightweight and strong nitrile glove specifically designed to combat the risks within the food sector, keeping products safe from contamination and hands safe from harm.

The special organic formulation makes SHOWA 708 safe for contact with all food categories in short term repeated contact situations. The glove is liquid proof and ideal for use with fatty and oily foods. It conforms to the shape of the hand, creating a comfortable second-skin feeling for extended use during precise manual operations. Due to its increased thickness and nitrile properties, the 708 provides exceptional resistance to tears and chemicals. The grip pattern creates a webbing that runs through the glove, reinforcing the strength and durability. The winning combination of exceptional grip, durability and mild material properties makes manual tasks within the food industry using SHOWA 708 comfortable and much safer for both the wearer as well as the product that is being handled.

### WHY IS BLUE IMPORTANT?

According to Hazard Analysis and Critical Control Points practices, PPE gloves in food handling should be blue because the color is not found in food. This means that any broken piece can be identified immediately, thus eliminating risk of contamination.



EXTRA  
STRENGTH  
AGAINST  
TEARS

SUPERIOR  
FISH SCALE  
GRIP





[NEW!]

## SHOWA 708

### APPLICATIONS:

- Poultry, meat & seafood processing
- Dairy production
- Fruit & vegetable processing
- Food packing and handling
- Sanitation and dishwashing
- Bakeries & delicatessens
- Agriculture
- Catering and food service
- Drink production and handling
- Grain, mill and starch products
- Janitorial/Cleaning
- Light assembly of oil-coated pieces

### AVAILABLE SIZES

REF.	SIZE	LENGTH
708	7/S	12"
708	8/M	12"
708	9/L	12"
708	10/XL	12"
708	11/XXL	12"
708	12/XXXL	12"



Cat. III



0321

EN ISO  
374-5:2016



VIRUS

EN ISO  
374-1:2016/  
Type B



JKOPT





# Eco Best Technology®

## Protection & Preservation in **ONE**

Our Eco Best Technology® (EBT) is the breakthrough innovation that gave rise to the world's first biodegradable nitrile glove. EBT is composed of organic materials that accelerate the biodegradation of nitrile in biologically active landfills.

### BIODEGRADABLE LONGER UNDEFINED TIMELINE

Protection is our first priority. With SHOWA's revolutionary Eco Best Technology® (EBT), we provide top of the line hand protection, with a reduced impact on our planet.

### REDUCED ENVIRONMENTAL IMPACT

When disposed in landfills, microorganisms consume, metabolize and break down EBT materials into three natural compounds— biogases, organic soil and water. This creates fertilizer, leaving zero waste behind.


### TESTED ASTM D5526 ASTM D5511

EBT requires biologically active landfills for biodegradation, which means gloves with EBT cannot even begin to biodegrade prior to disposal. These abilities have been validated by independent certified laboratories using ASTM International test methods (ASTM D5526 D5511).



Consider the number of single use gloves used every day in hospitals, offices, schools, warehouses, labs and even our own homes. The numbers are astronomical. With EBT, each glove's bio-degradation process is accelerated by up to 100 years\*. And every glove makes a difference.

\* when disposed in active landfills. Actual time may vary depending on climate and location of landfill



SHOWA's gloves with Eco Best Technology (EBT) are engineered for accelerated biodegradation in biologically active landfills. Independent certified laboratories performing long-term landfill biodegradation testing according to ASTM D5526-12 reported that Showa's gloves with EBT achieved 82.0% biodegradation in only 386 days, while gloves without EBT achieved only 1.9% biodegradation over the same period of time. These results may not be indicative of future biodegradation.



SHOWA


# 6110/ 6112PF

**Low modulus**  
**21 CFR 177.2600 / FDA compliant for direct food contact**  
**Performs same as non-EBT nitrile disposable gloves**  
**100% biodegradable**  
**Decreased risk of allergies**

**APPLICATIONS:**

Food Service/Food Prep  
 Coating preparation  
 Plumbing  
 Brewers and Distillers  
 Food packing and handling  
 Food Service/Food Prep  
 Pet Food production  
 Washing and cleaning  
 Public utility  
 Pharmaceuticals & API

REF.	SIZE	LENGTH
6110PF	5-6/XS	9.5in
6110PF	6-7/S	9.5in
6110PF	7-8/M	9.5in
6110PF	8-9/L	9.5in
6110PF	9-10/XL	9.5in
6110PF	10-11/XXL	9.5in
6112PF	5-6/XS	9.5in
6112PF	6-7/S	9.5in
6112PF	7-8/M	9.5in
6112PF	8-9/L	9.5in
6112PF	9-10/XL	9.5in
6112PF	10-11/XXL	9.5in



SHOWA


# 728/731

**High protection against solvents and acids**  
**21 CFR 177.2600 / FDA compliant for direct food contact**  
**Impermeable for working in wet, greasy and oily environments**  
**Environmentally friendly: world's first biodegradable chemical resistant glove**  
**Bisque finish provides better grip**

**APPLICATIONS:**

Petrochemical      Agriculture  
 Manufacturing      Janitorial  
 Refinery operations      Automotive

REF.	SIZE	LENGTH
728/731	6/XS	13"
728/731	7/S	13"
728/731	8/M	13"
728/731	9/L	13"
728/731	10/XL	13"
728/731	11/XXL	13"



SHOWA


# 707HVO

**Protects against oils, hydrocarbons, grease, and abrasion**  
**21 CFR 177.2600 / FDA compliant for direct food contact**  
**Fluorescent orange color increases visibility**  
**Long-lasting grip**  
**Impermeable for working in damp or greasy environments**  
**Cuff prevents dirt from entering the glove**

**APPLICATIONS:**

Chemical  
 Food  
 Janitorial  
 Laboratory  
 Municipal Services  
 Pharmaceutical

REF.	SIZE	LENGTH
707HVO	6/XS	12"
707HVO	7/S	12"
707HVO	8/M	12"
707HVO	9/L	12"
707HVO	10/XL	12"
707HVO	11/XXL	12"



SHOWA


# NSK24

**Biodegradable (EBT) nitrile coating with rough finish over cotton/polyester jersey liner**  
**Double nitrile coating provides an excellent chemical and abrasion resistance to the forearm (350mm long)**  
**21 CFR 177.2600 / FDA compliant for direct food contact**  
**Nitrile protects the hand from oils, hydrocarbons and grease penetration**

**APPLICATIONS:**

Food      Fishing  
 Chemical      Agriculture  
 Oil-Based      Petrochemical

REF.	SIZE	LENGTH
NSK24	8/S	14"
NSK24	9/M	14"
NSK24	10/L	14"
NSK24	11/XL	14"



# IN COLD & WET CONDITIONS TEMRES® GLOVES ARE **THE CATCH OF THE DAY**



Seamless knit nylon and insulated acrylic liner for warmth and comfort all day long

Waterproof TEMRES® technology

Premium comfort and flexibility of PU

**NEW**

Rough grip with extended cuff with draw cord for precision fit

Waterproof TEMRES® technology

Premium comfort and flexibility of PU

## SHOWA's TEMRES® 282-01 & 282-02

  
**SHOWA**

Always Innovating. Never Imitating.

800-241-0323 | [www.showagroup.com/us/en](http://www.showagroup.com/us/en)



---

# SHOWAgroup.com

---

## **USA/Latin-America**

579 Edison Street  
Menlo, GA 30731, USA  
P: +1 800-241-0323 | TF: +1 888-393-2666

## **Japan**

565 Tohori, Himeji-City  
Hyogo 670 0802, Japan  
P: +81-79-264-1234 | TF: +81-79-264-1516

## **Europe/Middle East/Africa/Oceania**

SHOWA International  
WTC - Tower I - Strawinskylaan 1817  
1077 XX Amsterdam - Netherlands  
P: +31 (0) 88 004 2100 | TF: + 31 (0) 88 004 2199

## **Canada**

2507 Macpherson, Magog  
Quebec, J1X OE6, Canada  
P: 819-843-2121 | TF: 800-565-2378

